## **AMENDMENTS TO THE CLAIMS**

The following is a complete listing of claims and should replace all prior versions of the claims.

Please cancel claim 2.

- 1. (Currently amended) A dye-sensitized photoelectric transfer device comprising:
  - a semiconductor layer containing titania nanotubes; and
- a sensitizing dye retained by the titania nanotubes, wherein the sensitizing dye has no acidic substituents.
- 2. (Cancelled) The dye-sensitized photoelectric transfer device according to claim 1 wherein the sensitizing dye has no acidic substituents.
- 3. (Original) The dye-sensitized photoelectric transfer device according to claim 1 wherein the titania nanotubes retain at least two kinds of sensitizing dyes.
- 4. (Currently amended) The dye-sensitized photoelectric transfer device according to claim 1 or 2 wherein particles of the sensitizing dye do not associate with each other.
- 5. (Original) The dye-sensitized photoelectric transfer device according to claim 1 wherein each of the titania nanotubes has a diameter from 5 nm to 80 nm.

6. (Currently amended) The dye-sensitized photoelectric transfer device according to claim 1 wherein the titania nanotubes are in form of an anatase type crystal.

5

- 7. (Original) The dye-sensitized photoelectric transfer device according to claim 1 wherein the semiconductor layer and an electrolyte layer are provided between a pair of opposed electrodes.
- 8. (Currently amended) The dye-sensitized photoelectric transfer device according to claim 1 wherein the semiconductor layer and an electrolyte layer are provided between a transparent conductive substrate and a conductive substrate as the <u>a</u> counter electrode of the transparent conductive substrate to generate electric energy between the transparent conductive substrate and the conductive substrate by photoelectric transfer.
- 9. (Original) The dye-sensitized photoelectric transfer device according to claim 8 wherein the transparent conductive substrate is a transparent substrate having a transparent conductive film.
- 10. (Original) The dye-sensitized photoelectric transfer device according to claim 8 or 9, which is configured as a dye-sensitized solar cell.
- 11. (Currently amended) A method of manufacturing a dye-sensitized photoelectric transfer device, comprising:

using providing a semiconductor layer containing titania nanotubes; and

having retaining a sensitizing dye retained by with the titania nanotubes, wherein the sensitizing dye has no acidic substituents.

Docket No.: S1459.70075US00